




H · I · N · G · E

# CATALOGUE



エヌ・エス・ケー ニシダ工業株

## 真鍮（黄銅）丁番



No.700

[真鍮 中厚]

- 材質
- 仕上
- 木捻子

真鍮  
磨き  
SUS304 金色

SIZE	A	B	C	I	J	K	L	穴数	木捻子 SIZE	小函枚数	小函箱数	1 函枚数
51	51	35	0.8	7.4		9.8	31.4	4	2.4x13	20	50	1000
64	64	39	1.0	10.0	6.0	8.5	23.5	6	2.7x16	20	40	800
76	76	45	1.0	11.0	7.0	10.8	27.2	6	2.9x20	20	30	600
89	89	55	1.2	14.0	9.0	11.0	33.5	6	3.1x20	10	40	400
102	102	63	1.5	15.2	9.8	13.8	24.8	8	3.5x22	10	30	300



No.800

[真鍮 厚口]

- 材質
- 仕上
- 木捻子

真鍮  
磨き  
SUS304 金色

SIZE	A	B	C	I	J	K	L	穴数	木捻子 SIZE	小函枚数	小函箱数	1 函枚数
51	51	38	1.5	7.5		9.55	31.9	4	2.7x16	20	30	600
64	64	42	1.5	10.0	7.0	8.8	23.2	6	3.1x16	20	30	600
76	76	49	1.6	10.5	7.5	10.5	27.5	6	3.1x20	20	20	400
89	89	56	1.5	14.0	9.0	10.7	33.8	6	3.5x22	10	30	300
102	102	70	2.0	18.0	10.0	12.0	26.0	8	3.8x25	10	20	200



No.700-1


[真鍮 平ギボシ]

- 材質
- 仕上
- 木捻子

真鍮  
磨き  
SUS304 金色

SIZE	A	B	C	I	J	K	L	穴数	木捻子 SIZE	小函枚数	小函箱数	1 函枚数
102	102	102	2.0	19.7	10.3	9.6	27.6	8	3.8x25	2	50	100

## SUS304 厚口丁番



No.827

[厚 口]

■材質

■仕上

SUS304



ヘアーライン



GB(プラス)

SIZE	A	B	C	I	J	K	L	穴数	木捻子 SIZE	小函枚数	小函箱数	1 函枚数
51	51	38	1.0	7.6		9.55	31.9	4	2.7x16	24	30	720
64	64	42	1.2	9.5	7.2	8.8	23.2	6	2.9x16	24	30	720
76	76	49	1.5	10.5	7.8	10.5	27.5	6	3.1x20	24	20	480
89	89	56	1.5	14.0	9.0	10.7	33.8	6	3.5x22	12	30	360
102	102	70	2.0	18.0	10.0	12.0	26.0	8	3.8x25	12	18	216
127	127	80	2.0	21.0	11.0	13.5	25.0	10	4.1x25	6	20	120

## SUS304 中厚丁番



No.727

[中 厚]

■材質


■仕上

SUS304

ヘアーライン

SIZE	A	B	C	I	J	K	L	穴数	木捻子 SIZE	小函枚数	小函箱数	1 函枚数
51	51	35	0.8	7.4		9.8	31.4	4	2.4x13	20	50	1000
64	64	39	1.0	10.0	6.0	8.5	23.5	6	2.7x16	20	40	800
76	76	45	1.0	11.0	7.0	10.8	27.2	6	2.9x20	20	30	600
89	89	55	1.2	14.0	9.0	11.0	33.5	6	3.1x20	10	40	400
102	102	63	1.5	15.2	9.8	13.8	24.8	8	3.5x22	10	30	300

## SUS304 ギボシ丁番



## No.727-1 [平ギボシ]

■材質

■仕上

SUS304



ヘアーライン・軸芯追い上がり防止付き



GB(プラス)

SIZE	A	B	C	I	J	K	L	穴数	木捻子 SIZE	小函枚数	小函箱数	1 函枚数
102	102	102	2.0	19.7	10.3	9.6	27.6	8	3.8x25	2	50	100
127	127	127	2.5	23.6	10.0	10.5	26.5	10	4.1x25	2	30	60

## SUS430 中厚丁番



## No.724

## [中 厚]

■材質



■仕上

SUS430

磨き

SIZE	A	B	C	I	J	K	L	穴数	木捻子 SIZE	小函枚数	小函箱数	1 函枚数
51	51	35	0.8	7.4		9.8	31.4	4	2.4x13	20	50	1000
64	64	39	1.0	10.0	6.0	8.5	23.5	6	2.7x16	20	40	800
76	76	45	1.0	11.0	7.0	10.8	27.2	6	2.9x20	20	30	600
89	89	55	1.2	14.0	9.0	11.0	33.5	6	3.1x20	10	40	400
102	102	63	1.5	15.2	9.8	13.8	24.8	8	3.5x22	10	30	300

## 薄口丁番



No.527

[薄 口]

■材質

SUS304

■仕上

ヘアーライン



GB(ブロンズ)

SIZE	A	B	C	I	J	K	L	穴数	木捻子 SIZE	小函枚数	小函箱数	1 函枚数
25	25	20	0.5	4.0		5.0	15.0	4		100	50	5000
32	32	22	0.6	4.5		5.5	20.6	4		100	40	4000
38	38	23	0.7	5.0		6.0	26.0	4		100	30	3000



<http://www.nsk24.com>

〒557-0045 大阪府大阪市西成区玉出西1丁目18番16号

TEL 06(6661)9800

FAX 06(6661)1618